

TABLE 8. Reported cases of notifiable diseases — United States, 1993–2000

Disease	1993	1994	1995	1996	1997	1998	1999	2000
AIDS	103,691	78,279	71,547	66,885	58,492	46,521	45,104	40,758*
Amebiasis	2,970	2,983	†	†	†	†	†	†
Anthrax	—	—	—	—	—	—	—	1
Aseptic meningitis	12,848	8,932	†	†	†	†	†	†
Botulism, total (includes wound and unspecified)	97	143	97	119	132	116	154	138
Foodborne	27	50	24	25	31	22	23	23
Infant	65	85	54	80	79	65	92	93
Brucellosis	120	119	98	112	98	79	82	87
Chancroid	1,399	773	606	386	243	189	143	78 [§]
Chlamydia [¶]	**	**	477,638	498,884	526,671	604,420	656,721	702,093 [§]
Cholera	18	39	23	4	6	17	6	5
Cryptosporidiosis	**	**	NA	NA	2,566	3,793	2,361	3,128
Cyclosporiasis	**	**	NA	NA	NA	NA	NA	60
Diphtheria	—	2	—	2	4	1	1	1
Ehrlichiosis, human granulocytic (HGE)	**	**	**	NA	NA	NA	NA	351
Human monocytic (HME)	**	**	**	NA	NA	NA	NA	200
Encephalitis, primary	919	717	†	†	†	†	†	†
Postinfectious	170	143	†	†	†	†	†	†
Encephalitis, California serogroup viral	**	**	NA	NA	NA	97	70	114
Eastern equine	**	**	NA	NA	NA	4	5	3
St. Louis	**	**	NA	NA	NA	24	4	2
Western	**	**	NA	NA	NA	—	1	—
<i>Escherichia coli</i> O157:H7	**	1,420	2,139	2,741	2,555	3,161	4,513	4,528
Gonorrhea	439,673	418,068	392,848	325,883	324,907	355,642	360,076	358,995 [§]
Granuloma inguinale	19	3	†	†	†	†	†	†
<i>Haemophilus influenzae</i> , invasive disease	1,419	1,174	1,180	1,170	1,162	1,194	1,309	1,398
Hansen disease (leprosy)	187	136	144	112	122	108	108	91
Hantavirus pulmonary syndrome	**	**	NA	NA	NA	NA	NA	41
Hemolytic uremic syndrome, postdiarrheal	**	**	NA	NA	NA	NA	NA	249
Hepatitis A	24,238	26,796	31,582	31,032	30,021	23,229	17,047	13,397
Hepatitis B	13,361	12,517	10,805	10,637	10,416	10,258	7,694	8,036
Hepatitis C; non-A, non-B ^{††}	4,786	4,470	4,576	3,716	3,816	3,518	3,111	3,197
Hepatitis, unspecified	627	444	†	†	†	†	†	†
Legionellosis	1,280	1,615	1,241	1,198	1,163	1,355	1,108	1,127
Leptospirosis	51	38	†	†	†	†	†	†
Listeriosis	**	**	**	**	**	**	**	755
Lyme disease	8,257	13,043	11,700	16,455	12,801	16,801	16,273	17,730
Lymphogranuloma venereum	285	235	†	†	†	†	†	†

TABLE 8. (Continued) Reported cases of notifiable diseases — United States, 1993–2000

Disease	1993	1994	1995	1996	1997	1998	1999	2000
Malaria	1,411	1,229	1,419	1,800	2,001	1,611	1,666	1,560
Measles	312	963	309	508	138	100	100	86
Meningococcal disease	2,637	2,886	3,243	3,437	3,308	2,725	2,501	2,256
Mumps	1,692	1,537	906	751	683	666	387	338
Murine typhus fever	25	†	†	†	†	†	†	†
Pertussis (whooping cough)	6,586	4,617	5,137	7,796	6,564	7,405	7,288	7,867
Plague	10	17	9	5	4	9	9	6
Polioomyelitis, paralytic ^{§§}	4	8	7	5	5	1	—	—
Psittacosis	60	38	64	42	33	47	16	17
Q fever	**	**	**	**	**	**	**	21
Rabies, animal	9,377	8,147	7,811	6,982	8,105	7,259	6,730	6,934
Rabies, human	3	6	5	3	2	1	—	4
Rheumatic fever, acute	112	112	†	†	†	†	†	†
Rocky Mountain spotted fever	456	465	590	831	409	365	579	495
Rubella	192	227	128	238	181	364	267	176
Rubella, congenital syndrome	5	7	6	4	5	7	9	9
Salmonellosis, excluding typhoid fever	41,641	43,323	45,970	45,471	41,901	43,694	40,596	39,574
Shigellosis	32,198	29,769	32,080	25,978	23,117	23,626	17,521	22,922
Streptococcal disease, invasive, group A	**	**	**	**	**	**	**	3,144
Streptococcal toxic-shock syndrome	**	**	**	**	**	**	**	83
<i>Streptococcus pneumoniae</i> , drug resistant, invasive disease	**	**	**	**	**	**	**	4,533
Syphilis, primary and secondary	26,498	20,627	16,500	11,387	8,550	6,993	6,657	5,979 [¶]
Total, all stages	101,259	81,696	68,953	52,976	46,540	37,977	35,628	31,575 [¶]
Tetanus	48	51	41	36	50	41	40	35
Toxic-shock syndrome	212	192	191	145	157	138	113	135
Trichinosis	16	32	29	11	13	19	12	16
Tuberculosis	25,313	24,361	22,860	21,337	19,851	18,361	17,531	16,377 ^{¶¶}
Tularemia	132	96	†	†	†	†	†	142
Typhoid fever	440	441	369	396	365	375	346	377
Varicella (chickenpox) ^{***}	134,722	151,219	120,624	83,511	98,727	82,455	46,016	27,382
Yellow fever	†††	†††	†††	1	—	—	1	—

* Total number of acquired immunodeficiency syndrome cases reported to the Division of HIV/AIDS Prevention—Surveillance and Epidemiology, National Center for HIV, STD, and TB Prevention (NCHSTP) through December 31, 2000.

† No longer nationally notifiable.

‡ Cases were updated through the Division of Sexually Transmitted Diseases Prevention, NCHSTP, as of May 4, 2001.

§ Chlamydia refers to genital infections caused by *C. trachomatis*.

** Not previously nationally notifiable.

†† Anti-HCV (hepatitis C virus) antibody test available May 1990.

‡‡ Numbers might not reflect changes based on retrospective case evaluations or late reports (see *MMWR* 1986;35:180–2).

¶ Cases were updated through the Division of Tuberculosis Elimination, NCHSTP, as of April 17, 2001.

*** Varicella was taken off the nationally notifiable disease list in 1991. Many states continue to report these cases to CDC.

††† The last indigenous case of yellow fever was reported in 1911; before 1996, the last imported case was reported in 1924.

Note: Rates <0.01 after rounding are listed as 0.00. Data in the *MMWR Summary of Notifiable Diseases, United States* might not match data in other CDC surveillance reports because of differences in the timing of reports, the source of the data, and the use of different case definitions.